


# LED Lighting

- Australian Design Rules (ADR) approved.
- Low current draw.
- Fully sealed to meet the demands of the transport & marine industry.
- Epoxy sealed electronics for environmental & vibration protection.
- Polycarbonate construction.
- Environmentally sealed - IP67.
- Multi-voltage.
- Lifetime warranty.

Truck & Trailer Lighting



EA26007ARC



EA26037



EA26012ARR




EA26259CR



EA26800-BB

Voltage : 12-24V  
 Lens : Polycarbonate  
 Light Source : LED  
 Approvals : ADR  
 Ingress Protection : IP67



**LIFE  
TIME**

EA26047



EA26037

## IONNIC Combination Lamp - Slimline

Part No.	Voltage	Function
EA26037	12-24V	Stop-Tail/Indicator/Reverse
EA26047	12-24V	Indicator/Front Position


Wire length: 1.6m



## LED Lighting



**LIFE  
TIME**




### IONNIC Combination Lamp - Large

Part No.	Voltage	Function
EA26012ARC	12-24V	Stop-Tail/Stop-Tail/Reverse
EA26012ARR	12-24V	Stop-Tail/Stop-Tail/Indicator

Cable length: 300mm.



**LIFE  
TIME**



EA26007AK



EA26007CK



EA26007RK


### IONNIC Combination Lamp - Jumbo

Part No.	Voltage	Function
EA26007ARC	12-24V	Stop-Tail/Indicator/Reverse
EA26007ARR	12-24V	Stop-Tail/ Stop-Tail/Indicator
EA26007RRR	12-24V	Stop-Tail/ Stop-Tail/ Stop-Tail
EA26007AK <b>NEW</b>		Indicator LED replacement module – Amber
EA26007CK <b>NEW</b>		Reverse LED replacement module – White
EA26007RK <b>NEW</b>		Stop-Tail LED replacement module – Red

Cable length: 1m.

LED Modules including gaskets and hardware.

## LED Lighting




**LIFE  
TIME**



### IONNIC Clearance/Marker

Part No.	Voltage	Colour	Description
EA26259CA	12-24V	Amber	Side Directional Indicator/Cab Marker
EA26259CAR	12-24V	Red/Amber	Side Marker
EA26259CAR-1.7	12-24V	Red/Amber	Side Marker. Includes 1.7m harness
EA26259CR	12-24V	Red	Rear Position/Outline Marker
EA26259CW	12-24V	White	Front Position/Outline Marker

Cable length: 150mm.




**LIFE  
TIME**



### IONNIC Number/Licence Plate

Part No.	Voltage	Colour	Description
EA26800-BB	12-24V	White	Only one required for ADR

Cable length: 450mm.



### IONNIC LED Load Resistor

Part No.	Voltage	Pack Qty
LED-LR12/2	12V	2
LED-LR24/2	24V	2

**IONNIC**

For details of your nearest reseller free call : 1800 724 690 | [www.ionnic.com](http://www.ionnic.com)

